



LISTA DE PRECIOS 2015

Clave	Descripción	Precio de Lista
CONGELADORES		
BM17545/156	Upright -45°C freezer 175 liters 110V, 50/60HZ	\$ 10,062.50
BM34045/156	Upright -45°C freezer 340 liters 110V, 50/60HZ	\$ 10,600.00
BM51545/156	Upright -45°C freezer 515 liters 110V, 50/60HZ	\$ 12,050.00
BM69045/156	Upright -45°C freezer 690 liters 110V, 50/60HZ	\$ 13,362.50
BMT17545/156	Upright -45°C freezer 175 liters 110V, 50/60HZ. Bio Memory Touch version	\$ 11,425.00
BMT34045/156	Upright -45°C freezer 340 liters 110V, 50/60HZ. Bio Memory	\$ 11,950.00
BMT51545/156	Upright -45°C freezer 515 liters 110V, 50/60HZ. Bio Memory Touch version	\$ 13,425.00
BMT69045/156	Upright -45°C freezer 690 liters 110V, 50/60HZ. Bio Memory Touch version	\$ 14,737.50
ACCESORIOS		
BM/CRYO1	Cryo-reservoir for BM/BMT175	\$ 1,425.00
BM/CRYO2	Cryo-reservoir for BM/BMT340	\$ 2,087.50
BM/CRYO3	Cryo-reservoir for BM/BMT515	\$ 2,962.50
BM/CRYO4	Cryo-reservoir for BM/BMT690	\$ 3,562.50
BM/OPT1	24V battery	\$ 937.50
BM/OPT2	Independant temperature probe PT100ohms -100°C to +50°C outputs at the back of the equipment	\$ 772.50
BM/OPT3	Independant K thermocouple -100°C up to +50°C Output at the back to link with a recorder	\$ 312.50
BM/OPT4	Independant temperature Pt 100 Ohms -100°C up to +50°C Output at the back to link with a recorder	\$ 268.75
BM/OPT5	PT 100 temperature probe connected with 3 m long wires to allow external	\$ 446.25
BM/OPT6	Certified regulation probe	\$ 77.50
BM/OPT7	1 revolution = 7 days Temperature range : from 0°C up to -100°C Battery supply	\$ 1,218.75
BM/QP	9 point temperature monitoring performed in Froilabo factory by independent test organization	\$ 1,180.00
BM/QIQO	IQ OP Documentation	\$ 1,180.00
ULTRACONGELADORES		
BM17586/156	Upright -86°C freezer - 175 liters	\$ 11,100.00
BM34086/156	Upright -86°C freezer - 340 liters	\$ 12,425.00
BM51586/156	Upright -86°C freezer - 515 liters	\$ 13,237.50
BM69086/156	Upright -86°C freezer - 690 liters	\$ 14,575.00
BM100082/156	Upright -86°C freezer - 1000 liters	\$ 17,212.50
BMT17586/156	Upright -86°C freezer - 175 liters. Bio Memory Touch version.	\$ 12,462.50
BMT34086/156	Upright -86°C freezer - 340 liters. Bio Memory Touch version.	\$ 13,800.00
BMT51586/156	Upright -86°C freezer - 515 liters. Bio Memory Touch version.	\$ 14,600.00
BMT69086/156	Upright -86°C freezer - 690 liters. Bio Memory Touch version.	\$ 15,950.00
BMT100082/156	Upright -86°C freezer - 1000 liters. Bio Memory Touch version.	\$ 19,125.00
BM17586/156/W	Upright -86°C freezer - 175 liters + Water Cooled Condenser	\$ 11,100.00
BM34086/156/W	Upright -86°C freezer - 340 liters + Water Cooled Condenser	\$ 12,425.00
BM51586/156/W	Upright -86°C freezer - 515 liters + Water Cooled Condenser	\$ 13,237.50
BM69086/156/W	Upright -86°C freezer - 690 liters + Water Cooled Condenser	\$ 14,575.00
BM100082/156/W	Upright -86°C freezer - 1000 liters + Water Cooled Condenser	\$ 17,212.50

Clave	Descripción	Precio de Lista
BMT17586/156/W	Upright -86°C freezer - 175 liters + Water Cooled Condenser. Bio Memory Touch version.	\$ 12,462.50
BMT34086/156/W	Upright -86°C freezer - 340 liters + Water Cooled Condenser. Bio Memory Touch version.	\$ 13,800.00
BMT51586/156/W	Upright -86°C freezer - 515 liters + Water Cooled Condenser. Bio Memory Touch version.	\$ 14,600.00
BMT69086/156/W	Upright -86°C freezer - 690 liters + Water Cooled Condenser. Bio Memory Touch version.	\$ 15,950.00
BMT100082/156/W	Upright -86°C freezer - 1000 liters + Water Cooled Condenser. Bio Memory Touch version.	\$ 19,125.00
ACCESORIOS		
BM/CO2	CO2 Backup system / Valve : 150 bars Controller and alarms on independent 24 V battery included with the freezer	\$ 2,187.50
BM/FL1	Stainless steel flexible to link with the CO2 cartridge length : 2 m	\$ 376.25
BM/FL2	Stainless steel flexible to link with the CO2 cartridge length : 3 m	\$ 460.00
BM/FL3	Stainless steel flexible to link with the CO2 cartridge length : 4 m	\$ 472.50
BM/N2	LN2 Backup system 150 bars valve HP flexible (length = 2 m)	\$ 2,671.25
BM/FL4	LN2 flexible stainless steel length = 1.2 m DN10 / F links	\$ 536.25
BM/CRYO1	Cryo-reservoir for BM/BMT175	\$ 1,425.00
BM/CRYO2	Cryo-reservoir for BM/BMT340	\$ 2,087.50
BM/CRYO3	Cryo-reservoir for BM/BMT515	\$ 2,962.50
BM/CRYO4	Cryo-reservoir for BM/BMT690	\$ 3,562.50
BM/OPT8	on/off switch/key lock	\$ 332.50
BM/OPT1	24V battery	\$ 326.25
BM/OPT2	Independent temperature probe PT100ohms -100°C to +50°C outputs at the back of the equipment	\$ 772.50
BM/OPT3	Independent K thermocouple -100°C up to +50°C Output at the back to link with a recorder	\$ 312.50
BM/OPT4	Independent temperature Pt 100 Ohms -100°C up to +50°C Output at the back to link with a recorder	\$ 268.75
BM/OPT5	PT 100 temperature probe connected with 3 m long wires to allow external calibration	\$ 446.25
BM/OPT6	Certified regulation probe	\$ 77.50
BM/OPT9	RS 485 Output	\$ 828.75
BM/OPT7	1 revolution = 7 days Temperature range : from 0°C up to -100°C Battery supply	\$ 1,218.75
BM/OPT10	Cable entry port, diam 21mm, 9 probes through the decompression valve	\$ 281.25
BM/OPT11	Cable entry port, 1 probe through the decompression valve	\$ 281.25
BM/QP	9 point temperature monitoring performed in Froilabo factory by independent test organization	\$ 1,180.00
BM/QIQO	IQ OP Documentation	\$ 1,180.00
ULTRACONGELADORES SERIE STAR		
BMS17586/156	Upright -86°C freezer - 175 liters - Star version	\$ 15,112.50
BMS34086/156	Upright -86°C freezer - 340 liters- Star version	\$ 16,175.00
BMS51586/156	Upright -86°C freezer - 515 liters- Star version	\$ 17,412.50
BMS69086/156	Upright -86°C freezer - 690 liters- Star version	\$ 18,937.50
BMS100082/156	Upright -86°C freezer - 1000 liters- Star version	\$ 22,025.00
BMS17586/156/W	Upright -86°C freezer - 175 liters - Star version + Water Cooled Condenser	\$ 15,112.50
BMS34086/156/W	Upright -86°C freezer - 340 liters- Star version + Water Cooled Condenser	\$ 16,175.00
BMS51586/156/W	Upright -86°C freezer - 515 liters- Star version + Water Cooled Condenser	\$ 17,412.50
BMS69086/156/W	Upright -86°C freezer - 690 liters- Star version + Water Cooled Condenser	\$ 18,937.50
BMS100082/156/W	Upright -86°C freezer - 1000 liters- Star version + Water Cooled Condenser	\$ 22,025.00

Clave	Descripción	Precio de Lista
ACCESORIOS		
BM/FL1	Stainless steel flexible to link with the CO2 cartridge length : 2 m	\$ 376.25
BM/FL2	Stainless steel flexible to link with the CO2 cartridge length : 3 m	\$ 460.00
BM/FL3	Stainless steel flexible to link with the CO2 cartridge length : 4 m	\$ 472.50
BM/CRYO1	Cryo-reservoir for BM/BMT175	\$ 1,425.00
BM/CRYO2	Cryo-reservoir for BM/BMT340	\$ 2,087.50
BM/CRYO3	Cryo-reservoir for BM/BMT515	\$ 2,962.50
BM/CRYO4	Cryo-reservoir for BM/BMT690	\$ 3,562.50
BM/OPT2	Independent temperature probe PT100ohms -100°C to +50°C outputs at the back of the equipment	\$ 772.50
BM/OPT3	Independent K thermocouple -100°C up to +50°C Output at the back to link with a recorder	\$ 312.50
BM/OPT4	Independent temperature Pt 100 Ohms -100°C up to +50°C Output at the back to link with a recorder	\$ 268.75
BM/OPT5	PT 100 temperature probe connected with 3 m long wires to allow external calibration	\$ 446.25
BM/OPT6	Certified regulation probe	\$ 77.50
BMS/WIFI	WIFI	\$ 2,125.00
BM/QP	9 point temperature monitoring performed in Froilabo factory by independent test organization	\$ 1,180.00
BM/QIQO	IQ OP Documentation	\$ 1,180.00
RACK PARA CRIOCAJAS		
BM/ETA1	Stainless steel shelf for BM 175	\$ 230.00
BM/EL2T175	2 drawers stainless steel rack for 175	\$ 363.75
BM/EL3T175	3 drawers stainless steel rack for 175	\$ 390.00
BM/EL4T175	4 drawers stainless steel rack for 175	\$ 421.25
BM/EL5T175	5 drawers stainless steel rack for 175	\$ 453.75
BM/ELMP175	Stainless steel rack with 2 drawers for microplates for 175	\$ 318.75
BM/EL3E175	3 fixed shelves stainless steel rack for 175	\$ 198.75
BM/EL4E175	4 fixed shelves stainless steel rack for 175	\$ 211.25
BM/EL5E175	5 fixed shelves stainless steel rack for 175	\$ 223.75
BM/ETA2	Stainless steel shelf for BM 340/515/690	\$ 332.50
BM/ETA3	Stainless steel shelf for BM 1000	\$ 446.25
BM/EL2T690	2 drawers stainless steel rack for 340/515/690/1000	\$ 344.25
BM/EL3T690	3 drawers stainless steel rack for 340/515/690/1000	\$ 376.13
BM/EL4T690	4 drawers stainless steel rack for 340/515/690/1000	\$ 420.75
BM/EL5T690	5 drawers stainless steel rack for 340/515/690/1000	\$ 446.25
BM/EL6T690	6 drawers stainless steel rack for 340/515/690/1000	\$ 497.25
BM/EL2T690A	Stainless steel rack with 2 aluminum drawers for 340/515/690/1000	\$ 341.25
BM/EL3T690A	Stainless steel rack with 3 aluminum drawers for 340/515/690/1000	\$ 375.00
BM/EL4T690A	Stainless steel rack with 4 aluminum drawers for 340/515/690/1000	\$ 397.50
BM/EL5T690A	Stainless steel rack with 5 aluminum drawers for 340/515/690/1000	\$ 427.50
BM/EL6T690A	Stainless steel rack with 6 aluminum drawers for 340/515/690/1000	\$ 447.50
BM/TIR	Stainless steel storage drawer	\$ 287.50
BM/ELMP690	Stainless steel rack with 2 drawers for microplates for 340/515/690/1000	\$ 460.00
BM/EL3E690	3 fixed shelves stainless steel rack for 340/515/690/1000	\$ 140.25
BM/EL4E690	4 fixed shelves stainless steel rack for 340/515/690/1000	\$ 153.00
BM/EL5E690	5 fixed shelves stainless steel rack for 340/515/690/1000	\$ 172.13
BM/EL6E690	6 fixed shelves stainless steel rack for 340/515/690/1000	\$ 191.25
BM/EL3E690C	Stainless steel rack , 15 compartments for 340/515/690/1000	\$ 184.88
BM/EL4E690C	Stainless steel rack , 20 compartments for 340/515/690/1000	\$ 204.00
BM/EL5E690C	Stainless steel rack , 25 compartments for 340/515/690/1000	\$ 223.13
BM/EL6E690C	Stainless steel rack , 30 compartments for 340/515/690/1000	\$ 255.00
BM/EL3E690AC	Aluminum rack , 15 compartments for 340/515/690/1000	\$ 168.75

Clave	Descripción	Precio de Lista
BM/EL4E690AC	Aluminum rack , 20 compartments for 340/515/690/1000	\$ 187.50
BM/EL5E690AC	Aluminum rack , 25 compartments for 340/515/690/1000	\$ 206.25
BM/EL6E690AC	Aluminum rack , 30 compartments for 340/515/690/1000	\$ 237.50
BM/ELE690	Stainless steel rack, 5 columns, until 30 compartments, adjustable shelves.	\$ 256.25
CONGELADORES HORIZONTALES		
BMH34045	Chest -45°C freezer 340 liters	\$ 10,600.00
BMH51545	Chest -45°C freezer 515 liters	\$ 12,050.00
BMH69045	Chest -45°C freezer 690 liters	\$ 13,362.50
BMP17545	Under bench -45°C freezer 175 liters	\$ 11,800.00
BMH34086	Chest -86°C freezer 340 liters	\$ 12,425.00
BMH51586	Chest -86°C freezer 515 liters	\$ 13,237.50
BMH69086	Chest -86°C freezer 690 liters	\$ 14,575.00
BMP17586	Under bench -86°C freezer 175 liters	\$ 13,500.00
ACCESORIOS		
BM/OPT1	24V battery .	\$ 326.25
BM/OPT2	Independent temperature probe PT100ohms -100°C to +50°C outputs at the back of the equipment	\$ 772.50
BM/OPT3	Independent K thermocouple -100°C up to +50°C Output at the back to link with a recorder	\$ 312.50
BM/OPT4	Independent temperature Pt 100 Ohms -100°C up to +50°C Output at the back to link with a recorder	\$ 268.75
BM/OPT5	PT 100 temperature probe connected with 3 m long wires to allow external	\$ 446.25
BM/OPT6	Certified regulation probe	\$ 77.50
BM/OPT9	RS 485 Output	\$ 828.75
BM/OPT7	1 revolution = 7 days Temperature range : from 0°C up to -100°C Battery supply	\$ 1,218.75
BM/OPT10	Cable entry port, diam 21mm, 9 probes through the decompression valve	\$ 281.25
BM/OPT11	Cable entry port, 1 probe through the decompression valve	\$ 281.25
BM/7EBV	Upright rack with a space for 7 cryoboxes 133 x 133 x h.95 mm	\$ 256.25
BM/12EBV	Upright rack with a space for 12 cryoboxes 133 x 133 x h.51 mm	\$ 281.25
BM/PAN	Stainless steel rack (basket)	\$ 407.50
BM/QP	9 point temperature monitoring performed in Froilabo factory by independent test organization	\$ 1,180.00
BM/QIQO	IQ OP Documentation	\$ 1,180.00
HORNOS DE CONVECCION FORZADA		
AP60/156	Forced convection oven, "Air Performance". 58 liters.	\$ 1,600.00
AP60PV/156	Forced convection oven, "Air Performance". 58 liters. External glass door	\$ 1,668.75
AP120/156	Forced convection oven, "Air Performance". 117 liters.	\$ 2,175.00
AP120PV/156	Forced convection oven, "Air Performance". 117 liters. External glass door	\$ 2,562.50
AP240/156	Forced convection oven, "Air Performance". 230 liters.	\$ 3,375.00
AP240PV/156	Forced convection oven, "Air Performance". 230 liters. External glass door	\$ 3,831.25
AE60/156	Forced convection oven, "Air Expert". 58 liters.	\$ 1,800.00
AE60PV/156	Forced convection oven, "Air Expert". 58 liters. External glass door	\$ 2,125.00
AE120/156	Forced convection oven, "Air Expert". 117 liters.	\$ 2,525.00
AE120PV/156	Forced convection oven, "Air Expert". 117 liters. External glass door	\$ 2,925.00
AE240/156	Forced convection oven, "Air Expert". 230 liters.	\$ 3,750.00
AE240PV/156	Forced convection oven, "Air Expert". 230 liters. External glass door	\$ 4,200.00
ACCESORIOS		
AP/RAY1	Additional stainless steel rack AP/AE/BP/BE 60	\$ 102.00
AP/RAY2	Additional stainless steel rack AP/AE/BP/BE 120 et 240	\$ 114.75
AP/ETA1	Additional shelf for AP/AE/BP/BE60	\$ 102.00
AP/ETA2	Additional shelf for AP/AE/BP/BE 120 and 240	\$ 114.75

Clave	Descripción	Precio de Lista
AP/ETAR1	Reinforced shelf for AP/AE/BP/BE60	\$ 146.63
AP/ETAR2	Reinforced shelf for AP/AE/BP/BE120 and 240	\$ 172.13
AP/BAC1	Stainless steel tank - water recuperation - for AP/AE/BP/BE 60	\$ 223.13
AP/BAC2	Stainless steel tank - water recuperation - for AP/AE/BP/BE 120 and 240	\$ 223.13
AP/SOC1	Sub-frame 1 place 150 mm high without castors for AP/AE/BP/BE 120 and 240	\$ 484.50
AP/SOC2	Sub-frame 1 place 250 mm high with castors for AP/AE/BP/BE 120 and 240	\$ 561.00
AP/SUP	Stacking kit	\$ 44.63
AEBESOFT	Software, cable RS485 and USB Adaptor included	\$ 267.75
AP/OPT1	Adjustable air exchange system for AP 60 & 120	\$ 178.50
AP/OPT2	Adjustable air exchange system for AP 240	\$ 369.75
AP/OPT3	Key lock for AP/AE door	\$ 471.75
AP/OPT6	4 castors 80 mm diameter	\$ 204.00
AP/OPT7	Cable entry port 50mm diameter	\$ 471.75
AP/OPT8	Pt 100 Ohms temperature probe + DIN socket (for a chart recorder connection)	\$ 369.75
AP/OPT9	Certified Pt 100 Ohms temperature probe + DIN socket (for a chart recorder	\$ 369.75
AP/OPT10	One pen circular chart recorder	\$ 1,637.50
AP/OPT11	One pen electronic chart recorder, continuous graph	\$ 3,174.75
AP/OPT12	6 Channels data logger link to Ethernet with a software	\$ 4,975.00
AP/OPT13	12 Channels data logger link to Ethernet with a software	\$ 5,312.50
QUAL4	1 oven, 1 set point	\$ 806.25
QUAL3	1 additional set point	\$ 337.50
QUAL5	3 ovens, 1 set point	\$ 2,112.50
AP414	Forced convection oven, "Air Performance". 414 liters. 230 V tri	\$ 6,025.00
AP714	Forced convection oven, "Air Performance". 714 liters. 230 V tri	\$ 7,787.50
AP/ETA3	Additional stainless steel shelf for AP414 / AP714	\$ 300.00
FI/ETA2	Additional stainless steel shelf for FI 727 / FI 1007	\$ 306.25
FI/ETAR2	Reinforced stainless steel shelf for FI 727 / FI 1007	\$ 375.00
FI/OPT1	Air extraction - variable discharge from 0 to 200 m3 / hour	\$ 1,206.25
AP/OPT7	Cable entry port 50mm diameter	\$ 471.75
FI/OPT4	16 segments programmation for temperature cycle.	\$ 1,375.00
AP/OPT8	Pt 100 Ohms temperature probe + DIN socket (for a chart recorder connection)	\$ 370.00
FI/OPT8	Audible alarm over temperature	\$ 400.00
INCUBADORAS DE CONVECCION NATURAL		
BSP65/156	Static incubator "Bio Static Performance" 65 liters.	\$ 1,425.00
BSP65PV/156	Static incubator "Bio Static Performance" 65 liters.	\$ 1,750.00
BSP125/156	Static incubator "Bio Static Performance" 125 liters	\$ 1,950.00
BSP125PV/156	Static incubator "Bio Static Performance" 125 liters.	\$ 2,337.50
BSP245/156	Static incubator "Bio Static Performance" 245 liters	\$ 3,387.50
BSP245PV/156	Static incubator "Bio Static Performance" 245 liters.	\$ 3,843.75
INCUBADORAS DE CONVECCION FORZADA		
BP60/156	Forced convection incubator. "Bio Performance". 58 liters.	\$ 1,700.00
BP60PV/156	Forced convection incubator. "Bio Performance". 58 liters.	\$ 2,025.00
BP120/156	Forced convection incubator. "Bio Performance". 117 liters.	\$ 2,481.25
BP120PV/156	Forced convection incubator. "Bio Performance". 117 liters.	\$ 2,875.13
BP240/156	Forced convection incubator. "Bio Performance". 230 liters.	\$ 3,512.63
BP240PV/156	Forced convection incubator. "Bio Performance". 230 liters.	\$ 3,975.00
BE60/156	Forced convection incubator. "Bio Expert". 58 liters.	\$ 2,050.00
BE60PV/156	Forced convection incubator. "Bio Expert". 58 liters.	\$ 2,387.50
BE120/156	Forced convection incubator. "Bio Expert". 117 liters.	\$ 3,037.50
BE120PV/156	Forced convection incubator. "Bio Expert". 117 liters.	\$ 3,437.50
BE240/156	Forced convection incubator. "Bio Expert". 230 liters.	\$ 4,137.50
BE240PV/156	Forced convection incubator. "Bio Expert". 230 liters.	\$ 4,587.50

Clave	Descripción	Precio de Lista
ACCESORIOS		
AP/RAY1	Additional stainless steel rack AP/AE/BP/BE 60	\$ 102.00
AP/RAY2	Additional stainless steel rack AP/AE/BP/BE 120 et 240	\$ 114.75
AP/ETA1	Additional shelf for AP/AE/BP/BE60	\$ 102.00
AP/ETA2	Additional shelf for AP/AE/BP/BE 120 and 240	\$ 114.75
AP/SUP	Stacking kit	\$ 45.00
AP/SOC1	Sub-frame 1 place 150 mm high without castors for AP/AE/BP/BE 120 and 240	\$ 484.50
AP/SOC2	Sub-frame 1 place 250 mm high with castors for AP/AE/BP/BE 120 and 240	\$ 561.00
AEBESOFT	Software, cable RS485 and USB Adaptor included	\$ 267.50
BP/LOW1	Lowenstein tray 42 tubes diam. 16 mm L.170 mm	\$ 175.00
BP/LOW2	Lowenstein tray 63 tubes diam. 18 mm L.140 mm	\$ 168.75
AP/OPT3	Key lock for AP/AE door	\$ 471.25
BP/OPT1	cable entry port 50mm diameter	\$ 471.25
AP/OPT6	4 castors 80 mm diameter	\$ 203.75
AP/OPT8	Pt 100 Ohms temperature probe + DIN socket (for a chart recorder connection)	\$ 370.00
AP/OPT10	One pen circular chart recorder	\$ 1,637.50
AP/OPT11	One pen electronic chart recorder, continuous graph	\$ 3,175.00
AP/OPT9	Certified Pt 100 Ohms temperature probe + DIN socket (for a chart recorder	\$ 370.00
QUAL4	1 oven, 1 set point	\$ 806.25
QUAL3	1 additional set point	\$ 337.50
QUAL5	3 ovens, 1 set point	\$ 2,112.50
INCUBADORAS REFRIGERADAS		
BRE60/156	Cooled incubator "Bio Refrigerated Expert". 56 liters. software included	\$ 4,700.00
BRE60PV/156	Cooled incubator "Bio Refrigerated Expert". 56 liters. software included, External	\$ 5,018.75
BRE120/156	Cooled incubator "Bio Refrigerated Expert".114 liters.	\$ 5,293.75
BRE120PV/156	Cooled incubator "Bio Refrigerated Expert".114 liters. software included, External	\$ 5,687.50
BRE240/156	Cooled incubator "Bio Refrigerated Expert". 223 liters. software included	\$ 7,175.00
BRE240PV/156	Cooled incubator "Bio Refrigerated Expert". 223 liters.	\$ 7,631.25
ACCESORIOS		
AP/RAY1	Additional stainless steel rack AP/AE/BP/BE 60	\$ 102.00
AP/RAY2	Additional stainless steel rack AP/AE/BP/BE 120 et 240	\$ 114.75
AP/ETA1	Additional shelf for AP/AE/BP/BE60	\$ 102.00
AP/ETA2	Additional shelf for AP/AE/BP/BE 120 and 240	\$ 114.75
BP/LOW2	Lowenstein tray 63 tubes diam. 18 mm L.140 mm	\$ 168.75
BP/LOW1	Lowenstein tray 42 tubes diam. 16 mm L.170 mm	\$ 175.00
AP/OPT6	4 castors 80 mm diameter	\$ 203.75
AP/OPT3	Key lock for AP/AE door	\$ 471.25
BP/OPT1	Cable entry port 50mm diameter	\$ 471.25
AP/OPT8	Pt 100 Ohms temperature probe + DIN socket (for a chart recorder connection)	\$ 370.00
AP/OPT10	One pen circular chart recorder	\$ 1,637.50
AP/OPT11	One pen electronic chart recorder, continuous graph	\$ 3,175.00
AP/OPT9	Certified Pt 100 Ohms temperature probe + DIN socket (for a chart recorder	\$ 370.00
QUAL4	1 oven, 1 set point	\$ 806.25
QUAL3	1 additional set point	\$ 337.50
QUAL5	3 ovens, 1 set point	\$ 2,112.50
BP414	Forced convection incubator. "Bio Performance". 414 liters	\$ 5,937.50
BP714	Forced convection incubator. "Bio Performance". 714 liters	\$ 7,550.00
BP/RAY3	Additional stainless steel wire shelf for AP414 / AP714	\$ 212.50
BP/LOW2	Lowenstein tray 63 tubes diam. 18 mm L.140 mm	\$ 175.00
BP/LOW1	Lowenstein tray 42 tubes diam. 16 mm L.170 mm	\$ 168.75
BP/OPT1	Cable entry port 50mm diameter	\$ 471.25
AP/OPT8	Pt 100 Ohms temperature probe + DIN socket (for a chart recorder connection)	\$ 370.00
FI/OPT8	Audible alarm over temperature	\$ 400.00